

Hamilton Township Application for Zoning Permit

Site Address: _____
Tax Parcel ID: _____, Lot Number: _____, Subdivision: _____
Property Owner(s): _____
Property Owner(s) address: _____
Contact Person: _____
Contact Person address: _____
Contact Person's phone number: _____ Cell number: _____
Contact Person's email address: _____ Fax Number: _____

Zoning District Located in: _____, Cost of project: _____
Is your property located in floodplain, wetlands and/or Home Owners Association: _____
Lot size: _____, New Impervious Surface: _____, Ground Disturbance: _____
Water supplied by: well public water system private water system
Sewage disposal: on-site septic system public sewer system private sewer system

Describe in Detail Your Project: (use back on page if needed) _____

Plot Plan showing property lines, adjoining street, both existing and proposed structure, fence, driveway, sidewalk, swimming pools and patio must be included. Plot Plan must have dimensions of both existing and proposed structure, fence, driveway, sidewalk, swimming pools and patio. Plot Plan must have distance to property line of proposed structure, fence, driveway, sidewalk, swimming pools and patio.

The owner of this property and the undersigned agree to conform to all Federal, State and Local laws and ordinances of Hamilton Township and by signing this application further states that any misrepresentation of the facts set forth in this application will result in criminal and civil penalties as set forth in PA Crimes Code Title 18, Section 4903 and 4904 dealing with false statements.


It is my responsibility to obtain all required permits prior to the start of construction. I understand that this application is for Zoning Related work only and is not a building permit.

Signature of owner: _____ Date: _____
Print name: _____

Date application received _____ Permit Number: _____
Date application accepted as complete: _____ Fee paid with check number: _____ on _____
Date application approved: _____ Date application denied: _____

Hamilton Township Zoning Official: _____, Date: _____

Hamilton Township Sample Plot Plan and setbacks



- ROW = Distance of Right of Way from center of road back into property, varies depending on the road.
- A = Minimum Square footage of your lot required.
- B = Lot width or road frontage of your lot, is considered a front on every road.
- C = Front setback from ROW line
- D = Side setback from property line
- E = Rear setback from property line
- F = Side setback from property line of accessory structures
- G = Rear setback from property line of accessory structures

REMEMBER A PLOT PLAN MUST BE COMPLETE AND INCLUDE ALL DIMENSIONS

Zoning Information

Fee schedule 2016

The Zoning Permit fee must be included with the application, is non refundable and is required for each Zoning application including reapplications for denied zoning application.

Zoning Permit (includes one zoning inspection & certificate of use))	\$100.00
Impervious surface at fifteen cents (\$0.15) per square foot	\$0.15 x ____
Zoning Reinspection (Per inspection as a result of failed inspection)	\$125.00
Sign (Temporary; non-illuminated sign only)	\$50.00/sign
Sign (other then temporary; non-illuminated sign)	\$100.00/sign

This is only a summary. For the complete ordinance and requirements you may go to www.twphamilton.com, then click on "Plans & Ordinances".

Application for permit Section 1902 (B)

- Completed Zoning Application with new structure intended use and if existing the past use of this structure, number of dwelling units in new structure and any addition information as required, need one copies
- Detailed site plans drawn to scale, shape and dimension of lot, location and size existing buildings and impervious surfaces (driveways & patios), location and size of new construction, need three copies
- Check for \$100.00 made out to Hamilton Township

Issuance of Permit Section 1902 (C)

- Zoning Official has 30 days to act upon request
- Permit good for 12 months

Inspection by Zoning Official Section 1904

- Beginning of construction
- Completion of construction

Contact information for Zoning and/or Subdivision Land Development Application

Site Location address: _____

Name of Subdivision/Land Development: _____

Contact Person		Phone	
Company		Cell Phone	
Mailing Address		Fax	
	Email		

Name of Property Owner		Phone	
Mailing Address		Cell Phone	
		Fax	
	Email		

Name of Applicant		Phone	
Mailing Address		Cell Phone	
		Fax	
	Email		

Name of Engineer/Surveyor		Phone	
Contact Person		Cell Phone	
Mailing Address		Fax	
	Email		

Additional Project Contacts		Phone	
Contact Person		Cell Phone	
Mailing Address		Fax	
	Email		

Additional Project Contacts		Phone	
Contact Person		Cell Phone	
Mailing Address		Fax	
	Email		

Applicant agrees to pay all township and all related outside agencies fees associated with the review of their plan when presented by the township to the applicant. Addition fees may be charged for services of outside agencies such as, Township Engineer, Adams County Office of Planning and Development, Township Solicitor, Township Sewer Enforcement Official, or any other agency as deemed necessary for review of submitted plans. The applicant shall pay all fees in full within thirty (30) days of receipt of invoice.

Signature Applicant _____ Date _____

STORMWATER MANAGEMENT

117 Attachment 4

Township of Hamilton

Appendix D

SIMPLIFIED APPROACH

**for Minor Regulated Activities in Hamilton Township, Adams County, Pennsylvania
[Amended 2-2-2015 by Ord. No. 117-14.D/117-15.A; 12-1-2015]**

Table of Contents

- I. Simplified Approach Directions and Review Process**
- II. Worksheet 1 (Application and Permit)**
- III. Record of Proposed Impervious (since adoption date of this Ordinance)**
- IV. Minor Stormwater Management Plan Requirements**
- V. How to Determine Disconnected Impervious Area (DIA)**
- VI. Chart for Determining BMPs Based on Volume Required**
- VII. Stormwater Management/BMP Facilities Operation & Maintenance Agreement**
- VIII. Standard Details**

Introduction:

This Simplified Approach has been created as a tool to help property owners manage stormwater on their property and streamline the process of designing on-site stormwater management facilities for new, relatively minor residential and accessory structure projects. Through the use of this manual, residents have the ability to determine the appropriate facilities for their property, project, and budget. This design method is not intended to be used with large-scale subdivision/land development projects or activities that include infrastructure such as roadways.

HAMILTON CODE

I. Simplified Approach Directions and Review Process

- Step 1: Complete Worksheet 1 (Section II) and create a Minor Stormwater Management Plan (hereinafter referred to as a “Plan”) as required under List A of the Minor Stormwater Plan Requirements (Section IV).
- Step 2: Fill out columns 1-3 on the “Record of Impervious” (Section III). Impervious area is defined under § 117-13 of the Hamilton Township Stormwater Management Ordinance. If the total cumulative impervious surface area added since the adoption date of this ordinance is less than or equal to 1,000 ft², skip Step 3 and continue to Step 4. If the total cumulative impervious surface area added since the adoption date of this ordinance is greater than 1,000 ft² and less than or equal to 10,000 ft² continue to Step 3.
- Step 3: Complete the Additional Requirements for “complete” Minor Stormwater Management Plan (Section IV) and complete and sign the Stormwater Management/BMP Facilities Operation & Maintenance Agreement (hereinafter referred to as O&M Agreement) (Section VII).
- 3a Determine if any of the proposed impervious areas are Disconnected Impervious Areas (hereinafter referred to as DIAs) by following the criteria listed in Section V. The DIA flow paths and contributory areas must be shown on the Plan. Fill out column 4 of the Record of Impervious for all areas that qualify as DIAs.
- 3a For all proposed impervious surfaces that cannot be completely disconnected, calculate the volume of stormwater runoff required to be captured by Stormwater BMPs. Multiply the contributory square footage of impervious draining to the BMP by 0.25 (Column 2 x 0.25 = Column 5). Using the “Chart for Determining BMP sizing” based on Volume Required (Section VI) and standard details (Section VIII), choose the BMP and size required for each contributory impervious area. The standard details are not a comprehensive list of stormwater BMP’s available. Additional information and variation is located in the Guide to Choosing Stormwater BMPs in Appendix C of the Adams County Act 167 Stormwater Management Plan. It is the applicant’s responsibility to select a facility and determine the appropriate size.
- Step 4: Submit two copies of the completed Worksheet 1, the Record of Impervious, the Minor Stormwater Management Plan, and the O&M agreement (if the proposed impervious is over 1,000 ft²), along with the applicable fee, to Hamilton Township. The application shall not be considered to be complete unless it includes all of the information required.
- Step 5: Upon receipt of a complete application, the official designated by Hamilton Township to administer the Simplified Approach process shall review the application against the requirements applicable to Simplified Approach submissions. The designated official shall approve the application if the application conforms to applicable requirements. The designated official shall deny the application if the application does not conform to

STORMWATER MANAGEMENT

applicable requirements. Any denial shall be in writing and shall state the reasons for such denial. The designated official shall approve or deny the complete application within 15 working days of the date of filing. The property owner may, in response to denied Simplified Approach submission, resubmit the application with revisions necessary to address the reasons for denial.

Step 6: Upon approval of a complete application packet, the designated official shall sign the permit and issue a copy to the Applicant. Once the permit is signed and its receipt acknowledged, the applicant is authorized to initiate construction of the approved project.

HAMILTON CODE

II. Worksheet 1 (Application and Permit)

Property Owner's Name: _____ Phone Number: _____
Address of Property: _____
Address of Owner: _____
Contact Phone Number (if different than the Owner): _____
Contact Email: _____
Parcel ID #: _____
Total Existing Impervious on the Property: _____
Total Impervious on the Lot after Project: _____
New Impervious Area Associated with this Project: _____
Stormwater Management Submission Type:
 _____ Minor Stormwater Site Plan - List A (proposed impervious < 1,000 s.f.)
 _____ Minor Stormwater Site Plan- "Complete" (1,000 s.f. < proposed impervious > 10,000 s.f.)
Are there any known existing drainage problems or the potential for the proposed project to create drainage problems? (if yes please explain) _____

Declaration and Acknowledgement:
• I (we) declare that I am the property owner, or representative of the owner, and that the information provided is accurate to the best of my knowledge. I (we) agree to assume full responsibility for the implementation. I (we) understand that stormwater may not adversely affect adjacent properties or be directed onto another property without written permission. I (we) declare that the proposed project will not adversely affect any, septic systems, or drinking water wells on this or any other property.
• I (we) understand that false information may result in a stop work order or revocation of permits. Municipal representatives are granted reasonable access to the property for review and/or inspection of this project. I (we) acknowledge that the steps, assumptions, and guidelines provided in this submission, including but not limited to the Minor Stormwater Site Plan, the Hamilton Township Stormwater Worksheet 1, Record of Proposed Impervious and the Stormwater Management/BMP Facilities and Maintenance Agreement (if applicable) will be adhered to.
Applicant Acknowledgement of Submission:
Signature: _____ Date: _____

- Development activities shall begin only after Hamilton Township approves the Minor Stormwater Site Plan.

Permit approved by Hamilton Township

Township Official:

Signature: _____ Date: _____

Title: _____

STORMWATER MANAGEMENT

III. Record of Impervious

Record of Impervious							
List A				"Complete" Minor Stormwater Management Plan			
Column 1	Column 2	Column 3	Column 4	Column 5	Column 6	Column 7	Column 8
Number /Letter (impervious area corresponding to Minor Stormwater Management Plan)	Area of Impervious (ft ²)	Description (Roof, Patio, Pavement, Driveway, Gravel, etc.)	Does the Impervious Area Meet the Requirements to be Disconnected? (yes/no)	Contributory Area Storage Requirement; Storage (ft ³) = Area (ft ²) x .25; Column 2 x .25	BMP used to Control Required Volume (ft ³)	BMP Size Requirement from Chart for Determining BMPs Sizing Based on Volume Required	Notes (minimum date)
Proposed Impervious Since Adoption Date Of This Ordinance							
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
Existing Impervious Before Adoption Date Of This Ordinance							
A							
B							
C							
D							
E							
F							
G							
H							
I							
J							

HAMILTON CODE

IV. Minor Stormwater Management Plan Requirements

The Adams County Office of Planning and Development can provide assistance to applicants to obtain property maps with the below required items, for a small fee.

A Minor Stormwater Site Plan must show the following:

List A:

1. Property Boundary
2. North Arrow and Scale (graphic) of 1" equals 50' or less.
3. Aerial Photo (if the land use has changed from the photo then draw in the approximate land uses (grass, woods, etc.).
4. Building Setbacks (Labeled)
5. 5' Contours or smaller where appropriate for the scale of the plan (Labeled)
6. Soils (Labeled)
7. Location of all existing and proposed impervious (home, accessory structures, driveways, etc.). The proposed impervious areas draining to a discharge point shall be numbered (1, 2, . . .) and the location of discharge from the existing and proposed impervious shall be shown, marked with an "x" or appropriate other symbol. The proposed impervious area reference number shown on the Minor Stormwater Management Plan shall correspond to the number on the Record sheet. The proposed impervious area on the plan shall be dimensioned.
8. Property Owner's Signature

Additional Requirements for "complete" Minor Stormwater Management Plan:

1. Slope/flow direction arrows on and 50 feet beyond the property (If the property is of substantial size and the proposed impervious is within the lot interior the slope/flow direction arrows shall be shown for minimum of 100 feet beyond the site Regulated Activity area.)
2. Distance from proposed downspouts along flow path to property lines, drainage ways (natural or manmade), wooded areas, offsite structures on and 50 feet beyond the property line (If applying for the DIA credit, label the DIA flow path and length on the plan.)
3. Natural features such as drainage ways, streams, wetlands, on and 50 feet beyond the property line
4. Any other pertinent information that may be significant to the project site (steep slopes, etc.)
5. Wells and on-site septic systems
6. Size and location of stormwater BMP's with dimensions and details (as required)
7. Soil hydrologic soil group (listed under the soil)
8. Any existing and proposed structures first floor elevations
9. Grading spot elevations and or contours defining the proposed flow characteristics
10. Approximate distance from house and elevation of proposed stormwater BMPs and overflow paths for storms greater than 2 year events

STORMWATER MANAGEMENT

V. How to Determine a Disconnected Impervious Area (DIA)

When impervious surface areas like rooftops and paved areas are directed to a pervious area that allows for infiltration, filtration, and increased time of concentration, the impervious surface areas may qualify to be treated as Disconnected Impervious Area (DIAs).

Impervious Area is defined in the definitions section of the ordinance.

Rooftop Disconnection: Impervious is considered to be disconnected if it meets the requirements listed below:

- The contributing impervious drainage area to each disconnected discharge (downspout) is less than 500 SF.
- The overland flow path from runoff discharge point has a slope of 5% or less.
- Soils along the overland flow path are not classified as hydrologic group "D"
- The overland flow path is maintained as at least 90% uniformly vegetated condition.
- The receiving pervious area shall not include another person's property unless written permission has been obtained from the affected property owner.
- The length of flow path must be 75 feet in length.
- The distance between discharge points and flow paths must be and remain a minimum of eight feet apart for entire 75 feet.

Paved Disconnection: Paved surfaces can be considered disconnected if they, or the adjacent areas, meet the following requirements:

- The contributing flow path over the impervious area is not more than 75 feet.
- The length of the overland flow is greater than or equal to the maximum length of flow over the impervious area.
- The slope of both the contributing impervious area and the overland flow path is 5% or less.
- If discharge is concentrated at one or more discrete points, no more than 500 ft² may discharge to any one point. In addition, a gravel strip or other spreading device is required for concentrated discharges. For non-concentrated discharges along the entire edge of paved surface, a level spreader is not required; however, there must be provisions for the establishment of vegetation along the paved edge.

HAMILTON CODE

VI. Chart for Determining BMPs Based on Volume Required (Revised 10/27/2015)

Volume Required (ft ³)	BMP						PA Native Deciduous Tree*	PA Native Evergreen Tree*
	Rain Garden/BioRetention	Infiltration Trench	Infiltration Bed	Infiltration Berm	Rain Barrel (55 Gal Typ)			
	Variable Determining Size							
	Area (ft ²)	Length (ft)	Area (ft ²)	Length (ft)	Quantity (ea)	Quantity (ea)	Quantity (ea)	
50	36	31	83	11	7	8	5	
100	84	63	167	22	14	17	10	
150	132	94	250	33	20	25	15	
200	178	125	333	44	27	33	20	
250	228	156	417	56	34	42	25	
300	278	188	500	67	41	50	30	
350	326	219	583	78	48	58	35	
400	377	250	667	89	54	67	40	
450	427	281	750	100	61	75	45	
500	477	313	833	111	68	83	50	
550	529	344	917	122	75	92	55	
600	581	375	1000	133	82	100	60	
650	630	406	1083	144	88	N/A	N/A	
700	679	437	1167	156	95	N/A	N/A	
750	729	469	1250	167	102	N/A	N/A	
800	781	500	1333	178	109	N/A	N/A	
850	827	531	1417	189	116	N/A	N/A	
900	880	562	1500	200	122	N/A	N/A	
950	933	594	1583	211	129	N/A	N/A	
1000	983	625	1667	222	136	N/A	N/A	
1050	983	656	1750	233	143	N/A	N/A	
1100	1086	687	1833	244	150	N/A	N/A	
1150	1136	719	1917	256	156	N/A	N/A	
1200	1187	750	2000	267	163	N/A	N/A	
1250	1239	781	2083	278	170	N/A	N/A	
1300	1289	812	2167	289	177	N/A	N/A	
1350	1340	844	2250	300	184	N/A	N/A	
1400	1391	875	2333	311	190	N/A	N/A	
1450	1444	906	2417	322	197	N/A	N/A	
1500	1494	937	2500	333	204	N/A	N/A	
1550	1544	969	2583	344	211	N/A	N/A	
1600	1596	1000	2667	356	218	N/A	N/A	
1650	1648	1031	2750	367	224	N/A	N/A	
1700	1702	1062	2833	378	231	N/A	N/A	
1750	1751	1094	2917	389	238	N/A	N/A	
1800	1802	1125	3000	400	245	N/A	N/A	
1850	1853	1156	3083	411	252	N/A	N/A	
1900	1905	1187	3167	422	258	N/A	N/A	
1950	1958	1218	3250	433	265	N/A	N/A	
2000	2007	1250	3333	444	272	N/A	N/A	
2050	2061	1281	3417	456	279	N/A	N/A	
2100	2111	1312	3500	467	286	N/A	N/A	
2150	2162	1343	3583	478	292	N/A	N/A	
2200	2214	1375	3667	489	299	N/A	N/A	
2250	2264	1406	3750	500	306	N/A	N/A	
2300	2318	1437	3833	511	313	N/A	N/A	
2350	2369	1468	3917	522	320	N/A	N/A	
2400	2421	1500	4000	533	326	N/A	N/A	
2450	2470	1531	4083	544	333	N/A	N/A	
2500	2525	1562	4167	556	340	N/A	N/A	

*No more than 25% of total volume can be mitigated by use of trees

STORMWATER MANAGEMENT

VII. Stormwater Management/BMP Facilities Operation and Maintenance Agreement

THIS AGREEMENT, made and entered into this ____ day of _____, 20 ____, by and between _____ hereinafter called the "Landowner" and Hamilton Township, Adams County, Pennsylvania, hereinafter called the "Township."

WHEREAS, the Landowner is the owner of certain real property described as (Adams County Tax Map/Parcel Identification Number) _____ as recorded by Deed in the Land Records of Adams County, Pennsylvania, Book _____ Page _____, hereinafter called the "Property";

WHEREAS, the Landowner is proceeding to build on and develop the property; and

WHEREAS, the Minor Stormwater Management Plan hereinafter called the "Plan", which is expressly made a part hereof, as approved or to be approved by the Township, provides for management of stormwater within the confines of the property through the use of Stormwater Best Management Practices (Stormwater BMPs); and

WHEREAS, the Township and the Landowner, its successors and assigns, agree that the health, safety, and welfare of the residents of the Township, require that on-site Stormwater BMPs be constructed and maintained on the Property; and

WHEREAS, the Township requires that on-site Stormwater BMPs as shown on the Plan be constructed and adequately maintained by the Landowner, its successors and assigns. Any additional requirements imposed by the Township are considered part of the Plan.

NOW, THEREFORE, in consideration of the foregoing premises, the mutual covenants contained herein, and the following terms and conditions, the parties hereto agree as follows:

1. The Landowner in accordance with the specifications identified within the Plan shall construct the onsite Stormwater BMPs.
2. The Landowner assumes full responsibility for the construction, operation, and maintenance of the proposed stormwater management facilities.
3. The Landowner, its successors and assigns, shall adequately maintain the Stormwater BMPs. This includes all pipes and channels built to convey stormwater to the facility, as well as all structures, improvements, and vegetation provided to control the quantity and quality of the stormwater. Adequate maintenance is herein defined as good working condition so that these facilities are performing their design functions.
4. The Landowner, its successors and assigns, shall inspect the Stormwater BMPs after all rainfall events exceeding one inch of precipitation in a twenty-four-hour period.
5. The Landowner, its successors and assigns, hereby grant permission to the Township, its authorized agents and employees, to enter upon the Property without prior notification at reasonable times and upon presentation of proper identification to inspect the Stormwater BMPs whenever the Township deems necessary.

HAMILTON CODE

6. The Landowner acknowledges that the proposed Stormwater BMPs will be a permanent fixture of the property that cannot be altered or removed without approval by the Township.
7. In the event the Landowner, its successors and assigns, fails to maintain the Stormwater BMPs as shown on the Plan and in good working condition, the Township may enter upon the Property and take whatever action is deemed necessary to maintain said Stormwater BMPs and to charge the costs of such repairs to the Landowner, its successors and assigns. This provision shall not be construed to allow the Township to erect any structure of permanent nature on the land of the Landowner unless such structures were part of the approved Plan. It is expressly understood and agreed that the Township is under no obligation to routinely maintain or repair said facilities, and in no event shall this Agreement be construed to impose any such obligation on the Township.
8. In the event that the Township, pursuant to this Agreement, performs work of any nature, or expends any funds in performance of said work for labor, use of equipment, supplies, materials, and the like, the Landowner shall reimburse the Township within 30 days of receipt of invoice for all expenses incurred. The Township has the right to file a municipal lien for unpaid costs and expenses that have not been reimbursed 30 days after receipt of invoice.
9. The intent and purpose of this Agreement is to ensure the proper maintenance of the Stormwater BMPs by the Landowner. This Agreement shall not be deemed to create any additional liability of any party for damage alleged to result from or be caused by nonpoint source pollution runoff. This Agreement imposes no liability of any kind whatsoever on the Township and the Landowner agrees to hold the Township harmless from any liability in the event the Stormwater BMPs fail to operate properly. In the event that a claim is asserted against the Township, its designated representatives or employees, the Township shall promptly notify the Landowner and the Landowner shall defend, at his own expense, any suit based on the claim. If any judgment or claims against the Township shall be allowed, the Landowner shall pay all costs and expenses regarding said judgment.
10. This Agreement shall be binding to the Landowner, its administrators, executors, assigns, heirs and any other successors in interests, in perpetuity.

Landowner:

Signature: _____ Date: _____

Printed Name: _____


Hamilton Township:


Signature: _____ Date: _____

Printed Name: _____ Title: _____


STORMWATER MANAGEMENT

VIII. Standard Details







STORMWATER MANAGEMENT



HAMILTON CODE



DESIGN NOTE:
 CHOOSE LENGTH AND WIDTH TO MEET AREA REQUIREMENT PER THE BMP SIZING CHART. BERMS SHALL BE INSTALLED PARALLEL TO THE EXISTING CONTOUR SUCH THAT THE TOP OF BERM IS INSTALLED AT A UNIFORM ELEVATION.



- NOTES:**
1. PLANTING SOIL SHOULD BE A SANDY LOAM, LOAMY SAND, LOAM (USDA), OR A LOAM/SAND MIX. RATIO FOR RAIN GARDEN SOIL MIX SHOULD CONTAIN AN APPROXIMATE RATIO OF 50% SAND, 30% COMPOST AND 20% NATIVE SOILS
 2. THE SOILS SHALL BE FREE OF STONES, STUMPS, ROOTS OR OTHER WOODY MATERIAL OVER 1" IN DIAMETER.
 3. BRUSH OR SEEDS FROM NOXIOUS WEEDS SHALL NOT BE PRESENT IN THE SOILS.
 4. PLACEMENT OF THE PLANTING SOIL SHOULD BE IN 9" LIFTS THAT ARE LOOSELY COMPACTED.
 5. BIO-RETENTION AREA MUST BE PROTECTED FROM EROSION/SEDIMENTATION DURING CONSTRUCTION.
 6. WET PLANTINGS IN RAIN GARDEN SHOULD BE NATIVE TO PA. DIRECTION FOR PLANTING SCHEDULE AND DENSITY BASED ON SITE CONDITIONS (SUN/SHADE/APPEAL) CAN BE OBTAINED FROM THE ADAMS COUNTY CONSERVATION DISTRICT
 7. SUBGRADE IN THE RAIN GARDEN BOTTOM SHOULD NOT BE COMPACTED. IF THE SUBGRADE BECOMES COMPACTED FOR ANY REASON, IT SHALL BE SCARIFIED PRIOR TO SOIL PLACEMENT
 8. IN BOROUGH'S WHERE INFILTRATION MAY BE IMPOSSIBLE DUE TO SOIL CONDITIONS OR BASEMENTS, IT IS RECOMMENDED THAT A 60 MIL HDPE POND LINER BE INSTALLED ALONG WITH 30" OF PLANTING SOIL MEDIA.

RAIN GARDEN
 N.T.S.

DRAWING PREPARED BY C. S. DAVIDSON, INC.

SIMPLIFIED APPROACH DETAILS.dwg

DATE: JULY 2012

SIMPLIFIED APPROACH STANDARD DETAIL
RAIN GARDEN

ADAMS COUNTY, PENNSYLVANIA

STORMWATER MANAGEMENT

